SL-3-00418A

P/C 123 004180 00

MARINE CORPS STOCK LIST



COMPONENTS LIST FOR

KITCHEN AND GALLEY OUTFIT, FIELD

GENERAL OFFICER'S SET C

NSN 7360-00-543-7037

DEPARTMENT OF THE NAVY Headquarters U. S. Marine Corps Washington, D. C. 20380

14 February 1977

Marine Corps Stock List, SL-3-00418A, is effective upon receipt.

BY DIRECTION OF THE COMMANDANT OF THE MARINE CORPS

OFFICIAL

Lt. Colon L. U. S. Marine Corps

Director, Technical Operations Division
Marine Corps Logistics Support Base, Atlantic

DISTRIBUTION: AH plus 2157/4090/5302/6025/6902/7561/ (5) 3700001/ 4106/6600/6901/6967/7000161 (2) 8145004 (1)

PREFACE

PUBLICATION CUTOFF DATE

1. Marine Corps Stock List, SL-3-00418A, is current as of 14 February 1977.

SCOPE

2. This publication lists all component and accessories for collection-type supply items, such as major combinations, systems vehicles groups outfits, kits, sets or assortments. The components to be issued with the end item will be identified under the heading of "Supply System Responsibility and when required under the heading "Collateral Materiel". End item as requiring Collateral materiel are governed by whether the end item is initial or replacement issue. The ICP will direct whether the initial issue of the end item is with a collateral materiel set or replacement issue without collateral materiel. The components to be issued will consist of the quantity of items annotated in the 'Quantity Used in Unit t' column. The "Using Unit Responsibility" column will reflect those items that are to be requisitioned separately through the supply system when applicable.

LIST OF COMPONENTS

- 3. This listing comprises the major portion of this publication. The data is arranged in columnar form and contains the information needed to properly identify the item and determine its type of issue.
- 4. <u>Item Number (Column 1)</u>. This column contains a number assigned to each item as it appears in the list. Numbers are assigned in sequence and are for reference purposes only.
- 5 Stock Number (Column 2). This column contains the National Stock Number (NSN) assigned to the item.
- 6. <u>Reference Designator/Figure-Key (Column 3</u>). This column contains circuit-symbol number designators or figure and index numbers to refer an item to a circuit diagram or illustration.
- 7. <u>Model (Column 4).</u> This column indicates by an alphabetical code the specific application of components, or assemblies when more than one model of the end item is contained in this publication.
- 8. Item Identification [Column 5). This column contains the item name and description listed under the sub-heading of either "SUPPLY SYSTEM RESPONSIBILITY", "Publications", "Collateral Materiel" or "USING UNIT RESPONSIBILITY" (See paragraphs 11, 12, and 13).
- 9. <u>Unit of Measure (Column 6).</u> This column contains the measurement standard of an item as used with the specific end item. It may or may not be the same as the unit of issue. For example, the unit of issue of a certain wire is by coil but only 4 feet are required for the end item. Therefore, the unit of measure shown herein will not be used for requisitioning purposes. For the proper unit of issue and other required management data, refer to the applicable Management Data List (ML) when requisitioning.
- 10. Quantity Used in Unit (Column 7). This column contains the total quantity of an item according to the unit of measure, required for full functional operation of the end item.

SUPPLY SUPPORT CATEGORIES

- 11. <u>Supply System Responsibility.</u> All, or a portion, of the items in this category, as appropriate, for the type of issue, will be furnished by the supply system. Any item requiring replacement, while the end item is outside the stores distribution system, is the responsibility of the holding organization or using unit.
- 12. <u>Collateral Materiel.</u> All of the items in this category will be furnished with the end item when the end item is being shipped as initial issue. The 9999-00-000-0000 NSN shown under the heading of collateral material (column S) is for control within the distribution system only and <u>is not authorized</u> for requisitioning purposes.
- 13. <u>Using Unit Responsibility.</u> Items in this category will not be issued with the end item. They must be requisitioned through the supply system. The end item will be complete only when the total quantity of items shown in the 'Quantity Used in Unit' column as well as those items listed under the heading "Supply System Responsibility" and "Collateral Materiel" are on hand

5TH ECHELON REHABILITATION PROGRAM

14. Major items returned under this program will be evacuated under the provision Of the applicable Marine Corps Order(s) with the items listed under Supply System Responsibility. Repair, rebuild and replacement under a 5th Echelon rehabilitation program will be limited to these items only. The publications shown under the heading "Publications" and those items under the heading "Collateral Materiel" shall be held by using organization for application to the replacement end items.

CHAN6ES

15. Changes to this publication will be issued as required.

REQUEST FOR ADDITIONAL COPIES

16. Additional copies of this publication may be requisitioned from the Commanding General, Marine Corps Logistics Support Base, Atlantic, (Code A826), Albany, Georgia 31704.

ERRORS AND RECOMMENDATIONS

17. Errors in this publication, or recommendations for its improvement should be submitted by using NAVMC 10772 "Report of Discrepancy in Supply Publications Form" provided each Command for this purpose. If this form is not adequate to cover a particular situation or recommendation, a letter should be directed to the Commanding General, Marine Corps Logistics Support Base, Atlantic (Code P841), Albany, Georgia 31704.

MISCELLANEOUS

18. For full information concerning the Marine Corps Stock List publications system, including its purpose and use and the principles employed in its compilation, see Marine Corps Stock List, SL-1-1, Introduction to Marine Corps Stock List Publications; for indexes thereof, see Marine Corps Stock List SL-1 -2, Index of Authorized Publications for Equipment Support, and SL - 1-3, Index of Publications Authorized and stocked by the Marine Corps (PASMC).

SUPERSEDURE

19. This publication supersedes Marine Corps Stock List, Components List SL-3-00418A, dated March 1968.

SE

7360-00-543-7037 KITCHEN AND GALLEY OUTFIT, FIELD:

 $FUNCTIONAL\ DESCRIPTION: The\ Kitchen\ and\ Galley\ Outfit,\ Field,\ General\ Officers\ Set\ C\ is\ comprised\ of\ various\ types\ of\ hand,\ mechanical\ and\ electrical\ food\ preparation\ equipment.$

LIST OF COMPONENTS

1 PEN PD	STOCK NUMBER	IEF BESI FIG-KEY		INIT OF IEAI)T \$11
1	7360-00-543-7037		KITCHEN AND GALLEY OUTFIT, FIELD: General Officers Set C	SE	
			SUPPLY SYSTEM RESPONSIBILITY		
2	7330-00-264-3593		BAG, PASTRY DECORATING: cloth, cotton duck; 20 in. 18, 13-1/3 in. w; 1-1/4 in. nerrow @ nd; Mil Spec MIL-B-43565, Size 1	EA	
3	7330-00-530-3976		BOARD, FOOD CHOPPING AND SLICING: wood; 20 in. 18, 14 in. w, 25/32 in. thk; Fed Spec LLL-B-568, Type II, Size 1	EA	
4	7330-00-725-0112		BOWL, FOOD CHOPPING, ROUND: 7 in. h, 15 in. dia; Fed Spec LLL-B-621 Type II	EA	
5	7330-00-151-9821		BREADBOX, PANTRY: a 1.; 17-1/2 in. 1g, 12-1/2 in. w, 11 in. h; Fed Spec RR-B-623, Type I	EA	
6	7330-00-266-7448		CANISTER, FOOD STORAGE: merked Coffee; a l.; 2 lb cap.; 5-3/4 in. h, 6 in. dia; Fed Spec RR-B-623, Type 11, Class B	EA	
7	7330-00-266-7449		CANISTER, FOOD STORAGE: marked Tea; a 1.; 1-1/2 lb cap.; 5-3/4 in. h, 6 in. dia; Fed Spec RR-B-623, Type III, Class A	EA	
8	7330-00-266-7450		CANISTER, FOOD STORAGE: marked Sugar; al.; 10 lb cap.; 8 in. h, 7-5/8 in. dia; Fed Spec RR-B-623, Type III, Class D	AS	
9	7330-00-634-4501		CANISTER, FOOD STORAGE: marked Flour; a 1.; 6 lb cap.; 8 in. h, 7-5/8 in. dia; Fed Spec RR-B-623, Type III, Class C	EA	
10	7330-00-241-8173		CLEAVER, MEAT: 7-3/4 in. blade; Fed Spec GGG-C-746, Type I, Class A	EA	
11	7330-00-272-2481		COFFEE MAKER, VACUUM: cres; 2 section bowl; lower bowl 12 cup cap. Fed Spec RR-C-1039, Type I	EA	
12	7330-00-266-7453		COLANDER: cres; 7-1/4 in. h, 16-1/2 in. dia top; Fed Spec RR-C-531, Size 3	EA	
13	7330-00-633-8904		CUTTER, DOUGHNUT: S; 3 in. dia; Mil Spec M IL-C-40115	EA	
14	7330-00-543-7097		CUTTER SET, COOKIE: set of 3 w/handles; one 2 in. rd; one 2-1/2 in. rd; one 3 in. rd; Mil Spec MIL-C-17519	SE	
15	7330-00-190-5190		DISHPAN: cres; w/handless; 18-3/8 in. dia top; 5-15/16 in. h; Fed Spec RR-D-450, Type II, Size 3	ĒA	
16	7330-00-266-7454		DREDGER, KITCHEN: al or cres; w/handle; 2-7/8 in. dia; 3-7/8 in. h; Fed Spec RR-B-623, Type II	EA	
					l

LIST OF COMPONENTS

17 18 19	7310-00-336-0472	_		EAI	8E 10 101
19			DUO STAND: McGraw-Edison Co. Food Equipment Div, 624B1	EA	1
	7330-00-815-1458		EGG WHIP: cres; balloon style; 16 in. lg; Fed Spec RR-W-456, Size 3	EA	1
20	7330-00-248-0891		EXTRACTOR, CITRUS FRUIT JUICE, HAND: al; w/table stand; 9 direct action press; Mil Spec MI L-E-2093	EA	1
	7330-00-256-2158		FOOD TURNER s cres solid blade, 3-3/4 in. w, 4-1/2 in. lg, cres handle, 21 in. lg; Mil Spec MIL-U-10815	EA	1
21	7340-00-223-7792		FORK, FOOD PREPARATION: cres; 2 times; 21 in. lg; Mil Spec MIL-U-10815, Type I, Size 2	EA	2
22	7330-00-243-3418		GRIDDLE PLATE: ci; rectangular; w/ fixed loop type handles; 25 in. lg, 13-1/2 in. w; Fed Spec RR-G-681, Type I, Size 1	EA	1
23	7310-00-889-3793		HOT PLATE, ELECTRIC: ac, 205 v, 60 Hz, single/three phase, 2.1 kw; 2 heating units, 1 control switch; cres or enameled carbon steel; 26 in. lg, 15 in. w, 12 in. h; Fed Spec W-H-636, Type I, Style 2, Size 1	EA	1
24	7320-00-184-4429		ICE CREAM FREEZER, HAND OPERATED: 1 gal cap. of inner container; Fed Spec RR-I-100, type I, size 4	EA	1
25	7340-00-223-7771		KNIFE, COOK'S: CS; rosewood handle; blade 12 in. lg; Fed Spec GGG-C-746, Type IV	EA	3
26	7340-00-576-4333		KNIFE, PARING: CS; blade 3-1/2 in. lg; Fed Spec GGG-C-746, Type V	EA	:
27	7330-00-248-1153		LADLE, KITCHEN: cres; 8 oz cap.; 15 in. lg; Fed Spec RR-L-30, Size D	EA	
28	7330-00-205-3093		MASHER, POTATO, HAND: wire mashing device head; 3-1 /8 in. w, 4-1/4 in. ig; o/a 12 in. ig; Fed Spec RR-W-456, Item 5	EA	
29	1330-00-272-7876		MEASURING SET, SPOON: cres; 4 spoons; Mil Spec MIL-M-40122	SE	
30	1240-00-264-5366		MEASURE, LIQUID: al; w/pouring lip; 5 qt cap. graduated to smallest increment 1/2 cups; Fed Spec RR-K-260, Type IV, Style A, Size 1	EA	
31	/330-00-224-8081		DPENER, CAN, HAND: S; leverage operator; w/corkscrew and bott leopener; 5-1/2 in. lg; Fed Spec FF-0-601, Type I, Class A	EA	
32	7330-00-205-3151		DPENER, CAN, MOUNTED: bench mtd; Fed Spec FF-0-601, Type III	EA	
33	/330-00-286-8069		PAN, BAKING AND ROASTING: al; w/handles; 24 in. lg, 18 in. w, 4-1/2 in. h; Fed Spec RR-P-54, Type I, Size 4	EA	
34	'330-00-234-7401		PAN, BAKING AND ROASTING: S; w/handles; 24 in. lg, 12 in. w, 3 in. h; Mil Spec MIL-P-3853	EA	
35	'330-00-633-8905		PAN, BAKING SHEET: al; 25-1/8 in. lg, 17-1/8 in. w, 1 in. h; Fed Spec RR-P-54, Type II, Size 1	EA	
36	7330-00-205-3150		PAN, CAKE, ROUND: S; 9 in. dia, 1-5/16 in. h; Fed Spec RR-P-62	EA	
37	7330-00-246-2402		PAN, FRYING: S; 6-3/4 in. dia, 1-1/2 in. h; Fed Spec RR-P-89, Size 1	EA	
38	7330-00-238-3805		PAN, FRYING: S; 12-3/4 in. dia, 2-3/8 in. h; Fed Spec RR-P-89, Size 2	EA	
39	7330-00-823-6883		PAN, PIE: al; 9 in. dia, 1-1/4 in. h; Fed Spec RR-P-54, Type V	EA	
40	7330-00-257-4822		PICK, ICE: blade 4-1/2 in. 18 outside handle, feat nat or painted handle; Fed Spec GGG-F-323	EA	
41	7330-00-245-1224		POT, COOKING: al; rectangular w/cover; 6 qt cap.; 8-3/8 in. 1g, 7-3/4 in. w, 5-3/4 in. h; Mil Spec MIL-C-1588A, Size 3	EA	
42	7330-00-775-3941		POT, COOKING: al; rectangular w/cover; 9 qt cap.; 9-1/4 in. lg, 8-1/2 in. w, 8-1/2 in. h; Mil Spec MIL-P-40636	EA	
43	7330-00-153-9749		ROLLING PIN: wood w/stationary handles; 24 in. o/a lg, 3-3/4 in. dia; Fed Spec LLL-R-530, Type I, Size 3	EA	

2

LIST OF COMPONENTS

M	2 Stock Number	S EF DESIG FIG-KEY	ŀ	5 ITEM IDENTIFICATION	i IIT IF	
			,		:23	
4	330-00-240-2134			AUCEPAN: cres; roung w/cover; 2 qt cap.; 6-1/4 in. dia, 3-3/4 in. h; Mil Spec MIL-S-40044, Size 1	šā.	
5	330-00-240-2136			AUCEPAN: cres; round w/cover; 5 qt cap.; 8-1/4 in. dia, 4-7/8 in. h; Hil Spec MIL-S-40044, Size 2	BA	
6	670-00-164-0551			CALE, BEAM INDICATING: bench type; 10 lb cap. Avdp system; 0.0 to 1 lb range grad 1/4 oz; 1 scoop load receiver, 15 in. o/a 1, 5 in. h, 8 in. w; 1 lb, 2 lb, and 4 lb counterpoise wts; Fed Spec AAA-S-115, Type IV	EA	
	110-00-289-8659			HEARS, METAL CUTTING, HAND: straight type; o/a 8 in. lg; Fed Spec GGG-S-291, Type II, Class 1, Style B	EA	
3	'330-00-184-0089			IFTER, FLOUR, HAND: hand held type; 100.8 cu in. hopper cap.; Fed Spec RR-S-345	EA	
)	'330-00-237-8277			KIMMER, KITCHEN: cres; o/a 15 in. lg, o/a 5 in. dia blade; Mil Spec MIL-S-2920, Type V	EA	
)	/330-00-254-4791			PATULA: S; tapered; flexible; blade 8 in. lg, 1-3/8 in. w, o/a 12-1/4 in. lg; Fed Spec GGG-C-746, Type X	EA	
1	/330-00-543-7074			PICE BOX SET: plastic; 7-pc set incl 6 shakers w/air-tight plastic lids and plastic holder for m td on wall, wheat color; Loma Corp Sub of Lancaster Colony, 760 WHEAT	SE	
2	/340-00-240-7080			POON, FOOD SERVICE: crea; solid; basting type; o/a 15-1/4 in. lg; Fed Spec RR-S-617, Type I, Size 15 in.	EA	
	1330-00-240-2102			EAKETTLE: al; 4 qt cap.; Fed Spec RR-B-500, Type III	EA	l
1	/310-00-550-7207			OASTER, ELECTRIC: 2 to 4 slices cap.; mechanical clock control pop up type; 208 v ac/dc, single phase, 2.6 wattage; 60 Hz; Fed Spec W-T-550, Type HDI-200, Style 2	EA	
5	7310-00-543-0881			AFFEL IRON, ELECTRIC: ac, 240 v, 1650 w; 2 units grid shaped; 12 in. h, 20-1/2 in. lg, 20 in. w; Mil Spec MIL-W-4011	EA	
				USING UNIT RESPONSIBILITY		
				OTE: Using Units should refer to SL-1-2 and requisition the required publications to support the item identified by the ID No. shown on the cover of the SL-3.		